

Declaration of Conformity

Product: EVO II Pro Enterprise V3, EVO II Dual 640T Enterprise V3

Model Number: MDCV3E

Manufacturer's Name: Autel Robotics Co., Ltd.

Manufacturer's Address: 601,701,801,901, Block B1, Nanshan iPark, No. 1001 Xueyuan

Avenue, Nanshan District, Shenzhen, Guangdong, 518055, China

We, *Autel Robotics Co., Ltd.*, declare under our sole responsibility that the above referenced product is in conformity with the applicable requirements of the following directives:

RED Directive: 2014/53/EU **RoHS Recast Directive:** 2011/65/EU

UAS Delegated Regulation: 2019/945/EU 2020/1058/EU

Machinery Directive: Annex I 2006/42/CE

Conformity with these directives has been assessed for this product by demonstrating compliance to the following harmonized standards and/or regulations:

Safety	EN IEC 62368-1:2020+A11:2020				
ЕМС	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-3 V2.3.2 (2023-01) ETSI EN 301 489-17 V3.2.4 (2020-09) ETSI EN 301 489-19 V2.2.1 (2022-09) EN 55032:2015+A11:2020+A1:2020 EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019+A1:2021 EN 61000-3-3:2013+A1:2019+A2:2021				
Radio	ETSI EN 300 328 V2.2.2 (2019-07) ETSI EN 301 893 V2.1.1 (2017-05) ETSI EN 300 440 V2.2.1 (2018-07) ETSI EN 303 413 V1.2.1 (2021-04) ETSI EN 303 213-5-1 V1.1.1 (2020-03) ETSI EN 305 550-1 V1.2.1 (2014-10) ETSI EN 305 550-2 V1.2.1 (2014-10)				
Health	EN IEC 62311:2020 EN 50665:2017				
RoHS	2011/65/EU				
UAS Delegated Regulation	prEN 4709-001: 03.2023 with D5 WG8 prEN 4709-002: 02.2023 with Edition P 1, February 2023 prEN 4709-003: 02.2023 with Edition P 1, February 2023 prEN 4709-004: 02.2023 with Edition P 1, February 2023				



Machinery Directive	EN ISO 12100
---------------------	--------------

The notified body, *LGAI Technological Center S.A./Applus*, notified body number: 0370, performed the EU-type examination in according with Part III, Module B of Council Directive 2014/53/EU, and issued the EU-type examination certificate: 0370-RED-7116.

The notified body, *LGAI Technological Center S.A./Applus*, notified body number: 0370, performed the EU-type examination in according with Part III, Module B of Regulation (EU) 945/2019, and issued the EU-type examination certificate: 0370-UAS-0011.

Signed for and on behalf of: *Autel Robotics Co., Ltd.*Place: Shenzhen, China
Date: 2024-02-28

Name: Cheng Zhuanpeng Position: Legal Representative

Signature: Cheny Zhuanpery

Appendix I

Product Mix. Description	Model	SW version	Description	Serial Number
EVO II Pro Enterprise V3	MDCV3E	1.1.57	Quadcopter equipped with a 6K camera and compatible with four kinds of enterprise accessories (Spotlight, Loudspeaker, Strobe (Beacon), RTK Module).	1748XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
EVO II DUAL 640T Enterprise V3	MDCV3E	1.1.57	Quadcopter equipped with a 4K camera, a thermal camera and compatible with four kinds of enterprise accessories (Spotlight, Loudspeaker, Strobe (Beacon), RTK Module).	1748XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Battery	XE3_7100 _1155	/	Drone Battery	1748CBXXXXXXXXXXX
Remote Controller	EF9-3	V1.6.0.87	Drone Remote Controller	TH7XXXXXXXX



Adapter	XA3_1320	/	Drone Adapter	/
Spotlight	SL1	/	Lights up the way in night operations or low-light conditions.	/
Loudspeaker	LP1	/	Stores multiple voice recordings and plays clips on loop, and allows the command center to speak to ground teams during emergency situations for efficient operations.	/
Strobe (Beacon)	ST1	/	Indicates the location of the aircraft at night to comply with night-ops regulations.	/
RTK Module	RTK1	/	Supports NTRIP and is capable of centimeter-level positioning accuracy.	/

*Note: Updated software will be released by manufacturer to fix bugs and improve the performance after the product placed on the market. All updated versions released by the manufacturer have been verified to be complied with the applicable regulations. All RF parameters (e.g., RF power, frequency) are not accessible to end users and cannot be changed by any third parties. Conformity of the product with EU requirements is ensured by evaluating the GNSS signals. The radio parameters are automatically set according to the detected region, the user does not have the capability to change these settings.

The guaranteed sound power level for this UAS equipment is 83 dB(A). The object of the declaration described above is of class 2.

